



HORIZONTAL BLIND CUT SHEET

SHOP COLLECTION – 2” & 2.5” HORIZONTAL BLIND HEADRAIL

Blind Options:

- 2” Aluminum
- 2” PVC
- 2” FR Fauxwood
- 2.5” FR Fauxwood

System Features:

- Heavy Duty Metal and Plastic Components
- Cord Tilter has a metal gear offering a smooth and quiet rotation
- Wand Tilter has a metal gear and metal stem making in the strongest tilter in the industry



Headrail:

- Polyester baked enamel – color coordinated
- Phosphate treated steel – 2” x 1 ½” high
- Wall thickness – 0.018” (before paint)

Valance Options: (Color Coordinated)

- Aluminum Valance
 - Available as Single or Double slat
- PVC Valance
 - Available as Single or Double slat
- Royal Valance – 3 ¼” high
 - Available for FR Fauxwood only
- Barrington Valance – 6” high
 - Available for FR Fauxwood only

Bottomrail: (Color Coordinated)

- Steel – contoured crowned shape
- Trapezoid shade for tight slat closure
 - Available for FR Fauxwood only

Tilt Controls:



Cord Tilt Option

- The gear and housing of the tilt mechanism are made of steel which allows the acetal thermoplastic wheel to rotate smooth and with minimal noise

Wand Tilt Option




- The gear and stem of the tilt mechanism are made of steel providing superior durability
- The worm and gear arrangement is entirely enclosed inside an acetal thermoplastic housing

Control Locations: (Restrictions may apply)

- Standard: Tilter – Left / Lift Cords – Right
- Reverse: Tilter – Right / Lift Cords – Left
- Same Left: Tilter – Left / Lift Cords – Left
- Same Right: Tilter – Right / Lift Cords – Right

Lift Control (Cord Lock):



- Snap-in design incorporates a stainless steel wear guard over which cords pass
- Incorporates a “Crash Proof” safety feature that locks the blind automatically upon release of cords

Other Headrail Channel Hardware:

- Headrail components are made of a combination of metal and low friction acetal thermoplastics
- Snap-in design of components allows for quick and easy repair if necessary

Cord Ladder: (Color Coordinated)



- Polyester braided cord ladders are designed to ensure proper control with adequate overlap of slats when in the closed position
- Options include:
 - Standard
 - Routless (FR Fauxwood only)
 - Cloth Tape (Privacy Ladder)
 - Vinyl Tape (Privacy Ladder)

Cord Ladder Spacing:

- Maximum spacing between rout holes:
 - Aluminum = 20”
 - PVC = 20”
 - FR Fauxwood = 11”

Lift Cords: (Color Coordinated)



- 1.8mm Polyester braided cords designed for lifting and lowering the blind

Mounting Hardware:

- Universal box brackets (color coordinated)
- Center supports on blinds wider than 60”
- Extension brackets (when requested)
- Hold down brackets (when requested)



Size Recommendations:

- Minimum Width – 9”
- Minimum Drop – 9”
- Maximum Width – 96”
- Maximum Drop – 96”

The sizes listed above are merely recommendations. Blinds may be ordered larger if required. Optional 2 or 3 blinds on a single headrail are available as well.



HORIZONTAL BLIND CUT SHEET

SHOP COLLECTION – 2" & 2.5" HORIZONTAL BLIND HEADRAIL

Parts

- | | | |
|---------------------------------|----------------------|-------------------------------------|
| A) Low Profile Headrail (Steel) | G) Cradle | N) Bottom rail – Trapezoid shown |
| B) Pinion Rod (Hex Tilt Rod) | H) Wand Tilter | O) Slats |
| C) End Stiffeners | I) Wand | P) Royal Valance – FR Fauxwood only |
| D) Cord Lock | J) Cord Ladder | |
| E) Cord Tilter | K) Lift Cord 1.8mm | |
| F) Ladder Drum | L) Cord Tassels | |
| | M) Bottom rail Plugs | |

