


5000 Series - Drop Ceiling Grid Installation

- 1. Place the privacy track on the floor. Lay out the configurations to ensure that the track is positioned exactly where it is desired.
- Begin on one end of the track; and mark the holes on the ceiling. Repeat this process on the track as well. Note: track should be secured at 24"- 30" intervals beginning on one end of the track.
- 3. Decide which end of the track will receive the end stop with pull-out.
- 4. Pre-drill the track. Anchor track via a 2" #8 self tapping screw hex head or pan head recommended. Track will be anchored directly to the drop ceiling grid.
- 5. If the track is spliced, check to ensure that there are no obstructions. Then place the track splice over one end of the track and secure via the steps listed above. Slide the other side of the track into the splice and secure with a fastener. This will ensure that the carriers will not bind at this location.
- 6. Make sure that both ends of the tracks and the end stops are secured to the ceiling.
- 7. Remove the pull-out and begin assembly (refer to assembly instructions).





All materials disclosed in this document are proprietary to Drop Ceiling Installation Diamond Drapery Co., Inc. The Holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Project:

Dimensions: 15-OCT-2008 Inches/Feet Scale: Ву: DO NOT SCALE C. Johnson






5000 Series – Drop Ceiling Grid with Channel Backing Installation

- 1. Place the privacy track on the floor. Lay out the configurations to ensure that the track is positioned exactly where it is desired.
- Begin on one end of the track; and mark the holes on the ceiling. Repeat this process on the track as well. Note: track should be secured at 24" on center intervals beginning on one end of the track.
- 3. Decide which end of the track will receive the end stop with pull-out.
- 4. Pre-drill the track.
- 5. Decide where the 1 ½" channel will be laid flat directly above the track.
- 6. Attach 12 gauge hangar wires at 48" intervals on center.
- 7. Secure hangar wire to the 1 ½" channel backing with three tight turns. Turns should be completed within 1½".
- 8. Anchor track via a 2 ½" #8 self tapping screw hex head or pan head recommended. Track will be anchored directly to the 1 ½" channel. Track must be secured at 24" intervals on center to the 1 ½" channel.
- 9. If the track is spliced, check to ensure that there are no obstructions. Then place the track splice over one end of the track and secure via the steps listed above. Slide the other side of the track into the splice and secure with a fastener. This will ensure that the carriers will not bind at this location.
- 10. Make sure that both ends of the tracks and the end stops are secured to the ceiling.
- 11. Remove the pull-out and begin assembly (refer to assembly instructions).








5000 Series - Sheetrock (Drywall) Installation

- 1. Place the privacy track on the floor. Lay out the configurations to ensure that the track is positioned exactly where it is desired.
- Begin on one end of the track; and mark the holes on the ceiling. Repeat this process on the track as well. Note: track should be secured at 24"- 30" intervals beginning on one end of the track.
- 3. Decide which end of the track will receive the end stop with pull-out.
- 4. Pre-drill the ceiling.
- 5. Pre-drill the track. Anchor track via a 3" hex head bolt and wings. Toggle will be 1/8" in diameter. Slotted hex head or Robertson head is recommended.
- 6. If the track is spliced, check to ensure that there are no obstructions. Then place the track splice over one end of the track and secure via the steps listed above. Slide the other side of the track into the splice and secure with a fastener. This will ensure that the carriers will not bind at this location.
- 7. Make sure that both ends of the tracks and the end stops are secured to the ceiling.
- 8. Remove the pull-out and begin assembly (refer to assembly instructions).





document are proprietary to Sheetrock Installation Diamond Drapery Co., Inc. The Holder agrees to maintain it in 20-0CT-2008 confidence and must not replicate or reveal this information in any manner.

Project:

All materials disclosed in this 5000 Series Tracking System

Dimensions: Inches/Feet Scale: Ву: DO NOT SCALE C. Johnson






5000 SERIES - SHEETROCK (DRYWALL) WALL INSTALLATION

- 1. Place the drapery track on the floor. Lay out the configurations to ensure that the track is positioned exactly where it is desired.
- 2. Begin on one end of the track; and mark the holes on the wall. Repeat this process on the track as well. Note: track should be secured at 24"- 30" intervals beginning on one end of the track.
- 3. Pre-drill the wall and anchor 2x2 Wall Brackets (part #5000-31) via a 3" hex head bolt and wings. Toggle will be 1/8" in diameter. Slotted hex head or Robertson head is recommended.
- 4. Pre-drill the track. Anchor track via a 1/2" #8 self tapping screw hex head or pan head recommended.
- 5. If the track is spliced, check to ensure that there are no obstructions. Then place the track splice over one end of the track and secure via the steps listed above. Slide the other side of the track into the splice and secure with a fastener. This will ensure that the carriers will not bind at this location.
- 6. Make sure that both ends of the tracks and the end stops are secured to the wall.





document are proprietary to Sheertrock Wall Mount Installation Diamond Drapery Co., Inc. The Holder agrees to maintain it ir confidence and must not replicate or reveal this information in any manner.

Project:

All materials disclosed in this 5000 Series Tracking System

_		
e	Date:	Dimensions:
n ot	20-OCT-2008	Inches/Feet
is	Scale:	Ву:
	DO NOT SCALE	C. Johnson






5000 Series - Wood Installation

- 1. Place the privacy track on the floor. Lay out the configurations to ensure that the track is positioned exactly where it is desired.
- Begin on one end of the track; and mark the holes on the ceiling. Repeat this process on the track as well. Note: track should be secured at 24"- 30" intervals beginning on one end of the track.
- 3. Decide which end of the track will receive the end stop with pull-out.
- 4. Pre-drill the track. Anchor track via a 2" #8 self tapping screw hex head or pan head recommended. Track will be anchored directly to the drop ceiling grid.
- 5. If the track is spliced, check to ensure that there are no obstructions. Then place the track splice over one end of the track and secure via the steps listed above. Slide the other side of the track into the splice and secure with a fastener. This will ensure that the carriers will not bind at this location.
- 6. Make sure that both ends of the tracks and the end stops are secured to the ceiling.
- 7. Remove the pull-out and begin assembly (refer to assembly instructions).





All materials disclosed in this document are proprietary to Wood Stud Installation Diamond Drapery Co., Inc. The Holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Project:

Dimensions: 14-OCT-2008 Inches/Feet Scale: Ву: DO NOT SCALE C. Johnson






5000 SERIES - WOOD WALL INSTALLATION

- 1. Place the drapery track on the floor. Lay out the configurations to ensure that the track is positioned exactly where it is desired.
- 2. Begin on one end of the track; and mark the holes on the wall. Repeat this process on the track as well. Note: track should be secured at 24"- 30" intervals beginning on one end of the track.
- 3. Pre-drill the wall and anchor 2x2 Wall Brackets (part #5000-31) via two 2" #8 self tapping screw hex heads or pan heads recommended.
- 4. Pre-drill the track. Anchor track via a 1/2" #8 self tapping screw hex head or pan head recommended.
- 5. If the track is spliced, check to ensure that there are no obstructions. Then place the track splice over one end of the track and secure via the steps listed above. Slide the other side of the track into the splice and secure with a fastener. This will ensure that the carriers will not bind at this location.
- 6. Make sure that both ends of the tracks and the end stops are secured to the wall.





All materials disclosed in this document are proprietary to Wall Mount Installation Diamond Drapery Co., Inc. The Date: Holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Project:

DO NOT SCALE

5000 Series Tracking System

Dimensions: 15-OCT-2008 Inches/Feet Scale: Ву:

C. Johnson






5000 Series - Concrete Installation

- 1. Place the privacy track on the floor. Lay out the configurations to ensure that the track is positioned exactly where it is desired.
- Begin on one end of the track; and mark the holes on the ceiling. Repeat this process on the track as well. Note: track should be secured at 24"- 30" intervals beginning on one end of the track.
- 3. Decide which end of the track will receive the end stop with pull-out.
- 4. Pre-drill the ceiling. Insert a 1 ¼" concrete anchor.
- 5. Pre-drill the track. Anchor track via a 1 1/4" #8 self tapping screw hex head or pan head recommended.
- 6. If the track is spliced, check to ensure that there are no obstructions. Then place the track splice over one end of the track and secure via the steps listed above. Slide the other side of the track into the splice and secure with a fastener. This will ensure that the carriers will not bind at this location.
- 7. Make sure that both ends of the tracks and the end stops are secured to the ceiling.
- 8. Remove the pull-out and begin assembly (refer to assembly instructions).





document are proprietary to Concrete Installation Diamond Drapery Co., Inc. The Holder agrees to maintain it in 20-0CT-2008 confidence and must not replicate or reveal this information in any manner.

Project:

All materials disclosed in this 5000 Series Tracking System

Dimensions: Inches/Feet Scale: Ву: DO NOT SCALE C. Johnson






5000 Series - Concrete Wall Installation

- 1. Place the drapery track on the floor. Lay out the configurations to ensure that the track is positioned exactly where it is desired.
- 2. Begin on one end of the track; and mark the holes on the wall. Repeat this process on the track as well. Note: track should be secured at 24"- 30" intervals beginning on one end of the track.
- 3. Pre-drill the wall. Insert a 1 ¼" concrete anchor.
- 4. Anchor 2x2 Wall Bracket (part #5000-31) via a 1 1/4" #8 self tapping screw hex head or pan head recommended.
- 5. Pre-drill the track. Anchor track via a 1/2" #8 self tapping screw hex head or pan head recommended.
- 6. If the track is spliced, check to ensure that there are no obstructions. Then place the track splice over one end of the track and secure via the steps listed above. Slide the other side of the track into the splice and secure with a fastener. This will ensure that the carriers will not bind at this location.
- 7. Make sure that both ends of the tracks and the end stops are secured to the wall.





All materials disclosed in this sound document are proprietary to Diamond Drapery Co., Inc. The Holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

Scale:

Project:

All materials disclosed in this document are proprietary to Concrete Wall Mount Installation

Date: Dimensions: Inches/Feet

Scale: By:
DO NOT SCALE C. Johnson

